

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	91	(suspension and fork and pin and button and lock and compression)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:26
L5	224	motorcycle and (fork with lock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:27
L6	49	motorcycle and ((fork with lock)same pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:27

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	91	(suspension and fork and pin and button and lock and compression)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 16:13
L5	224	motorcycle and (fork with lock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:27
L6	49	motorcycle and ((fork with lock)same pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:27
L7	2263	(pin same button same lock same recess same spring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 16:14
L8	0	7 and motorcycle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 16:14
L9	4	7 and bike	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 16:16
L10	348257	7 (spring same release)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 16:16
L11	1405	7 and (spring same release)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 16:17

L12	105	7 same (telescop\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 16:20
L13	1304	(telescop\$5 same tube same lock same pin same spring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 16:21
L14	20	(telescop\$5 same tube same lock same pin same spring same button same recess)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 16:22
L15	198	"267"/\$.ccls. and (lock same pin same recess)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 16:23
L16	8	("2644504" "3861740" "4150851" "4807856" "5044592" "5713555" "5826935").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 16:29
L17	163	("267"/\$.ccls. and (lock same pin same recess same spring))	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 16:35
L18	2	267/64.26.ccls. and (pin same lock same recess)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 16:42
L19	38	("shock absorber" with pin with lock)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 16:45
L20	259	("shock absorber" same housing same recess same pin)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 16:46
L21	48	("shock absorber" same housing same recess same pin same lock)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 16:46
L22	6	21 and "267"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 16:47
L23	0	267/64.26.ccls. and (lock same pin same (slot or recess) same button same housing)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 16:48

L24	0	267/64.26.ccls. and (lock same pin same (slot or recess) same button)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 16:48
L25	3	267/64.26.ccls. and (lock same pin same (slot or recess))	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 16:50
L26	1177	(telescop\$5 with lock with pin)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 16:50
L27	5	26 and "267"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 16:50
L28	8	("4609202").URPN.	USPAT	OR	ON	2005/10/17 16:51
L29	3	("4572534" "4582343" "4609202").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 16:53